| | | - | | # # # # # # # # # # # # # # # # # # # | n Be | Time Stamp | Comments | Error Definition | Err |
|-----|----------|--------|---------|---------------------------------------|---------------|---------------------|----------|--|-----|
| | Type | ⊭ | HICS | Search leac | 500 | | | | ors |
| ٦ | BRS | (EE) | 814029 | configuration | USPAT; EPO | 2000/05/18 09:19 | | | 0 |
| 5 | SAR |) [] | 1131768 | generats | USPAT; EPO | 2000/05/18 09:22 | | Truncation Overflow. Return string from Server is: | П |
| | <u> </u> | | | | | | | 5 ' 0 ' 0 GEN | |
| m | BRS | | 147507 | graphic\$. | USPAT; EPO | 2000/05/18 09:22 | | | 0 |
| 4 | BR\$ | L8 | 210852 | instance? | | 2000/05/18 09:23 | | | 0 |
| 2 | PK\$ | 1.9 | 2726 | 5 near 6 | USPAT; EPO | 2000/05/18 09:23 | | | 0 |
| 9 | BR\$ | (E) | 908 | instantiate | | 2000/05/18 09:23 | | | 0 |
| - | BRS | L11 | 98 | 8 same 10 ' | | 2000/05/18 09:24 | | | 0 |
| 10 | BRS | L13 | 4 | 9 and 11 . | i | 2000/05/18 09:24 | | | 0 |
| -04 | BRS | | 726256 | generate or generating | • | 2000/05/18 09:34 | | | 0 |
| 12 | BRS | OII) | 1512 | 14 near 5, | | 2000/05/18 09:35 | | | 0 |
| 11 | BRS | L18 | (.) | 11 and 16 | USPAT; EPO | 2000/05/18 09:36 | | | 0 |
| 12 | BRS | | 202 | 8 and 16 | USPAT; EPO | 2000/05/18 09:37 | | | 0 |
| 13 | BRS | | 83 | 19 and 7 | USPAT; EPO | 2000/05/18 09:38 | | | 0 |
| 14 | BRS | (L222) | 9 | 20 and 10 ° | | 2000/05/18 09:39 | | | 0 |
| 15 | BRS | L24 | ε | 16 same 8 | USPAT; EPO | 2000/05/18 09:40 | | | 0 |

ı

| | Þ | ī | Document ID | Issue Date | Pages | Title | Current OR | Current OR Current XRef |
|---|---|---|--------------|------------|-------|---|------------|--|
| 1 | ⊠ | | US 5524212 A | 19960604 | 37 | Multiprocessor system with write generate method for updating cache | 711/121 | 364/228.7 ; 364/241.9 ; 364/243.41 ; 364/243.5 ; 364/940.67 ; 364/964.27 ; 364/DIG.1 ; 364/DIG.1 ; 711/144 |
| 2 | Ø | | US 5617514 A | 19970401 | | Generalized configurator using multiple interacting packers and declaratively defined constraint expressions | 706/45 | 706/46 ; 706/55 |
| т | × | | US 5950011 A | A 19990907 | 15 | System using designer editor and knowledge base for configuring preconfigured software in an open system in a distributed environment | 11/11 | 713/1 ; 713/100 |

L24

| | D | 1 | Document II | Document ID Issue Date Pages | Pages | Title | Current OR | Current OR Current XRef | Inventor | S |
|---|---|---|-----------------|------------------------------|-------|--|------------|-------------------------|-----------------------------|---|
| 1 | ⊠ | | US 5475830 A | 19951212 | 23 | Structure and method for providing a reconfigurable emulation circuit without hold time violations | 716/16 | 716/17 ; 716/7 | Chen, Nang-Ping , et al. | |
| | × | | us 5630025 A | 19970513 | | L M | 706/46 | 706/45 | Dolby, Nigel I. , et al. | |
| т | ☒ | | us 5649167 A | 19970715 | | Methods for controlling timing in a logic emulation system | 703/23 | | Chen, Nang-Ping , et al. | |
| 4 | ☒ | | US 5835751 A | 19981110 | 26 | Structure and method for providing reconfigurable emulation circuit | 716/16 | 327/39 | Chen, Nang-Ping , et al. | |

L13

| | = | - | Dog | Document ID | Issue Date | Pages | Title | Current OR | Current OR Current XRei |
|---|---|---|------|-------------|------------|-------|--|------------|--------------------------------|
| | , | | | | | | Architectures and methods for dividing processing tasks into tasks for a | | ([|
| н | Ø | | us 5 | 5287511 A | 19940215 | 906 | programmable real time signal processor and tasks for a decision making | 717/2 | 717/3 ; 717/5 |
| | | | | | | | microprocessor interfacing | | |
| 0 | Σ | | S SI | 5524244 B | 19960604 | 57 | cherewith System for dividing processing tasks into signal processor and | 717/5 | 717/10 |
| 1 | 3 |] | | | | | decision-making microprocessor | | |
| т | | | us 5 | 5877966 | A 19990302 | 36 | System and method for creating configurations using templates | 716/4 | 700/182 ; 700/97 ; 713/1 |
| | | | | | | | System and methods for providing encapsulated and performance-efficient | | 201/202 |
| 4 | | | ns n | 5890155 A | 19990330 | 11 | data references in an object-oriented controller and distributed | 6/101 | ; 707/104 ; 713/200 |
| | | | | | | | control system employing the | | |



| | Þ | н | Document II | U 1 Document ID Issue Date Pages | Pages | | Current C | Current OR Current XRef | XRef | Inventor | S |
|---|---|---|-----------------|----------------------------------|-------|---|-----------|------------------------------|------|-------------------------|---|
| 1 | Ø | | US 5515524 A | 19960507 | 42 | Method and apparatus for 703/13 configuring systems | 703/13 | | | Lynch, John , et al. | |
| 2 | Ø | | US 5708798 A | US 5708798 19980113 Met A | | hod and apparatus for figuring systems | 703/1 | | | Lynch, John , et al. | |
| е | × | | US 6002854 A | 19991214 | , | thod and apparatus for nfiguring systems | 703/1 | 703/13 ; 703/2 ; 703/6 | | Lynch, John , et al. | |

Jave Love